

SAFETY DATA SHEET

1. IDENTIFICATION OF SUBSTANCE AND PREPARATION

American Polywater Corporation

11222 - 60th Street North
P.O. Box 53
Stillwater, MN 55082 USA
Phone: +1-651-430-2270
Fax: +1-651-430-3634

Emergency Number: +1-651-430-2270

**Product Name: Type HP™
Solvent Wipe (HP-P158ID)**

Chemical Description: Hydrocarbon/Terpene Blend

Product Use: Cleaning Preparation

Date Reviewed: 19 February 2007

Reviewed By: S. H. Dahlke

2. COMPOSITION / INFORMATION ON INGREDIENTS

<u>Components</u>	<u>CAS #</u>	<u>Weight %</u>
Medium Aliphatic Petroleum Solvent	64742-47-8	60 – 100 (< 4 gm/pack)
Citrus Terpenes	94266-47-4	3 – 7 (< 1 gm/pack)

3. HAZARDS IDENTIFICATION

Emergency Overview: CAUTION: Combustible. Keep away from fire and flame. Use with adequate ventilation. Do not ingest. Avoid contact with skin. In case of eye contact, flush eyes with water. Keep out of reach of children.

NFPA Ratings:

Health:	0
Fire:	2
Reactivity:	0

4. FIRST AID MEASURES

Eye Contact: If eye irritation from exposure to vapors develops, move to fresh air. Flush eyes with clean water. If irritation persists, seek medical attention. For direct eye contact, flush with large quantity of water for 15 minutes. Seek medical attention.

Skin Contact: Remove contaminated clothing; flush skin thoroughly with water. If irritation occurs, seek medical attention.

Inhalation (Breathing): If irritation of nose or throat develops, move to fresh air. If irritation persists, seek medical attention. If breathing is difficult, provide oxygen. If not breathing, give artificial respiration. Seek immediate medical attention.

Ingestion (Swallowing): Maximum amount in a single pack is less than 5 mls of solvent. Do not induce vomiting or give anything by mouth. Petroleum content can be aspirated into lungs and cause aspiration pneumonia. If victim is drowsy or unconscious, place on the left side with head down. Do not leave victim unattended. Seek medical attention.

5. FIRE-FIGHTING MEASURES

Flash Point:: >60.5°C (PMCC) for solvent (bulk)
Flammable Limits: Not Available
Autoignition Temperature: Not Available

Hazardous Combustion Products:	Burning generates CO, CO ₂ and smoke. Smoke may be acrid and fumes irritating.
Extinguishing Media:	Carbon Dioxide, Dry Chemical or Foam
Special Precautions:	Towelettes will ignite. If burning, smother or isolate from other flammable materials.
Unusual Hazards:	If large quantities of cartoned towelettes are ignited, treat as petroleum solvent fire. Type HP™ Solvent Wipes are not sensitive to mechanical impact or static discharge.

6. ACCIDENTAL RELEASE MEASURES

No spill hazard with saturated towel package.

7. HANDLING AND STORAGE

Keep boxes containing solvent wipes closed. Keep towelettes cool, dry, and away from sources of ignition. Use and store this product with adequate ventilation. Avoid inhalation of vapors and personal contact with the product. Use good personal hygiene practice. All towelettes should be disposed of in an environmentally safe manner and in accordance with governmental regulations.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory Protection:	Normal ventilation adequate. If exposure exceeds recommended limits, respirator protection is recommended. Use a respirator or gas mask with cartridges for organic vapors (NIOSH-approved) or use supplied air equipment.
Protective Gloves:	For repeated or prolonged skin contact, the use of impermeable gloves is recommended to prevent drying and possible irritation.
Eye Protection:	Eye protection is recommended, especially if the material is used in ways where it could splash in the eyes.
Other Protective Equipment:	It is suggested that a source of clean water be available in work area for flushing eyes and skin. Impervious clothing should be worn as needed.
Exposure Limits and Recommendations:	500 ppm TLV is suggested by the manufacturer for Type HP™ Solvent. TLV values for components have not been determined by OSHA/ACGIH.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	A non-linting towel, lightly saturated with a clear, colorless liquid. Very light citrus scent.
Odor Threshold:	Not Available
Vapor Density of Solvent(Air = 1):	Not Available
Specific Gravity of Solvent(H₂O = 1):	.79
Solubility in Water of Solvent:	Nil
VOC Content of Solvent:	790 gms/L
Boiling Point of Solvent:	IBP 185 °C
Freezing Point of Solvent:	<-50 °C
Evaporation Rate of Solvent:	<.1 (n-butyl acetate = 1)
Vapor Pressure of Solvent:	<1 mm Hg @ 20 °C
Coefficient of Water/Oil Distribution:	Not Available
pH:	Not Applicable
Percent Volatiles of Solvent (Weight):	100%

10. STABILITY AND REACTIVITY

Stability:	Stable
Conditions to Avoid:	Avoid heat, flame, sources of ignition.
Materials to Avoid:	Strong oxidizing agents.
Hazardous Decomposition Products:	Carbon dioxide, carbon monoxide.

11. TOXICOLOGICAL INFORMATION

Eye Contact:	Direct eye contact with vapors may cause eye irritation. This irritation is minimal and expected to be transient.
Skin Contact:	This product has low skin irritation potential. Prolonged or repeated skin exposure can remove oils, causing redness, drying and cracking. Persons with pre-existing skin disorders may be more susceptible to skin irritation from this material.
Irritation and Sensitization Potential:	This product has low skin irritation potential. It is not a sensitizer.
Inhalation (Breathing):	Concentrated petroleum solvent vapors may cause irritation of the nose and throat. Prolonged exposure to excessively high vapor concentrations can result in central nervous system depression (e.g., drowsiness, dizziness, loss of coordination, and fatigue). Persons with impaired lung function may experience additional breathing difficulties due to the irritant properties of this material.
Ingestion (Swallowing):	Material has low level of oral toxicity. Ingestion of large quantities may cause irritation of the digestive tract, nervous system depression (e.g., drowsiness, dizziness, loss of coordination, and fatigue.)
Aspiration Hazard:	Petroleum solvent content can enter lungs during swallowing or vomiting and cause aspiration pneumonitis.
Oral Toxicity:	LD ₅₀ (rat) for petroleum distillate is >20 gm/kg. LD ₅₀ (rat) for terpene is >5 gm/kg.
Chronic Exposure:	Not Available.
Carcinogenic Status:	This substance has not been identified as a carcinogen or probable carcinogen by NTP, IARC, or OSHA, nor have any of its components.
Reproductive Toxicity:	Not Available
Mutagenicity:	Not Available
Teratogenicity:	Not Available
Toxicologically Synergistic Products:	Not Available

12. ECOLOGICAL INFORMATION

Mobility:	No information available.
Bioaccumulation:	No information available.
Ecotoxicity:	No information available.
Other:	Zero ozone depletion potential.

13. DISPOSAL CONSIDERATIONS

Dispose of product in accordance with national and local regulations.

14. TRANSPORTATION INFORMATION

UN Number:	Not Listed
Hazard Warning Label:	Not Applicable

15. REGULATORY INFORMATION

Product is not classified as hazardous according to European Directive 88/379/EEC and 67/548/EEC

16. OTHER INFORMATION

The information and recommendations contained herein are believed to be reliable. However, the supplier makes no warranties, express or implied, concerning the use of this product. The buyer must determine conditions of safe usage and assumes all risk and liability in handling this product.