

DATASHEET: CLY 564 16XX

Class 4, 16" Rubber Insulating Glove, Orange / Black



CLY 563 18xx BC

Ideal for use by electricians and other workers who come into contact with live or potentially live cables / circuits. Arguably the highest quality rubber-insulating glove ever produced, using a combination of traditional dip and cement dip technologies.

Colour: Orange inner and black outer layer for clearer identification of damage to glove's surface during inspection.

Sizing: "xx" Available in sizes 08 through 11 (add suffix into part number)

Marking

The glove is marked in accordance with EN 60903:2003, stating mark of the independent CE approval body, size, manufacturer's name and month / year of manufacture. It is also marked with the CE logo and the double triangle image of the IEC.

Temperature: Resistant to temperatures +55°C to -40°C according to Category "C" of EN60903:2003

Acid, Oil, Ozone: Resistant to these compounds according to Category "R" of EN60903:2003

Flame Retardancy: As per requirements of EN 60903, will self extinguish any flame

Packaging

Supplied as a pair contained within a white plastic bag bearing care instructions. Multiple Bags may be supplied in specifically designed cardboard box.

Storage

Gloves should be stored in their packaging. Care should be taken to ensure that gloves are not compressed, folded, or stored in proximity to sources of heat, light or ozone. It is desirable that the ambient temperature be between 10 °C and 21 °C.

Class	Length	Part No.	Test Voltage AC (rms)	Working Voltage AC (rms)	Colour
4	18" (460mm)	CLY 563 18xx BC	30,000 V	26,500 V	Orange Inner / Black Outer